
MATRIX CERULEAN 387-004

MAYERFABRICS



CLEANING

WS: Water/Solvent Cleaner - Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding. Always rinse promptly with clean water.

BC: Bleach Cleanable - 1 parts bleach, 4 parts water = 20% bleach, 80% water solution. Do not clean / disinfect fabric for longer than 10 minutes using the 20% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Additional cleaning details at www.mayerfabrics.com

CATEGORY Upholstery

PROPERTIES

CONTENT

50% Solution Dyed Pre-Consumer Recycled Nylon/50% Solution Dyed Nylon

BACKING

Nylon

ADDITIONAL FINISHING AVAILABLE (CHECK FOR PRICING) Nano-Tex, NanoGuard

FINISH

Stain Repellent and Antimicrobial

WIDTH 54"

WEIGHT 14.5 oz./linear yard oz./ln yd

SHOWN RAILROADED No

DIRECTIONAL

Yes

ROLL LENGTH 56 yards

VISUAL REPEAT 7.1 in/18.03 cm H, 14.625 in/37.15 cm V

BREAKING STRENGTH Warp 250/Fill 300

SEAM STRENGTH Warp: 50/Fill: 50

ABRASION RESISTANCE

Passes 305,000 Double Rubs (Wyzenbeek) Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be an indicator of increased lifespan.

PILLING RESISTANCE Class 4 min

COLORFASTNESS TO CROCKING

Dry: Class 4 min/Wet: Class 3 min

MAYER FABRICS

COLORFASTNESS TO LIGHT 200 hours

FLAMMABILITY

WARRANTY

Solution Dyed Upholstery Patterns | '10' Ten Year Warranty

