NB | Faux Leather



CLEANING CODE

CFC: Coated Fabrics Cleaning - When a spill/stain occurs wipe immediately with a clean dry cloth. Carefully remove the majority of the stain then follow the steps below.

Soap & Water - Remove ordinary dirt and smudges with a mild soap and water solution using a soft cloth or towel. Rinse with fresh water and wipe dry.

Non-abrasive Cleaners - If residue remains, use a straight application of the following cleaners: Fantastik or 409 and gently clean with a soft cloth. Rinse with fresh water and wipe dry.

Isopropyl Alcohol - More stubborn stains may be eliminated using a cotton cloth soaked in 70-91% isopropyl (rubbing) alcohol. Wipe without spreading stain to surrounding area. A second application should be applied with vigorous rubbing in a circular motion. For highly textured material, a soft brush is recommended to clean valleys and crevices. Rinse with fresh water and wipe dry.

BC: Bleach Cleanable - 1 parts bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean / disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Please note: If specific cleaners are not listed, then the pattern has not been tested for cleaning solution compatibility.

DISINFECTANTS AND CLEANERS

ACCEL PREVENTION CONCENTRATE - Approved - Slight Effect

ACCEL TB - Approved - No Effect

BIREX SE DISINFECTANT - Approved - Slight Effect

CAVIWIPES - Approved - Slight Effect

CITRACE GERMACIDE – Approved - Slight Effect

CLOROX DISINFECTING WIPE - Approved - No Effect

CLOROX HEALTHCARE BLEACH GERMICIDAL WIPE - Approved - Slight Effect

CLOROX HEALTHCARE EZ-KILL QUAT ALCOHOL CLEANER DIS... – Approved - Slight Effect

500 S. KITLEY AVE., INDIANAPOLIS, IN 46219

TOLL FREE: 800.428.4415 **T**: 317.267.2626 **F**: 317-267-2629

CLOROX HYDROGEN PEROXIDE CLEANER DISINFECTANT SPRA... - Approved - No Effect

CLOROX HEALTHCARE HYDROGEN PEROXIDE CLEANER DISINF... - Approved - Slight Effect

ECOLAB NEUTRAL DISINFECTANT CLEANER - Approved - No Effect

FADE-A-DYNE II - Approved - Slight Effect

FANTASTIK ALL PURPOSE CLEANER - Approved - No Effect

FORMULA 409 ALL PURPOSE CLEANER - Approved - Slight Effect

GREEN WORKS ALL PURPOSE CLEANER - Approved - No Effect

ISOPROPYL ALCOHOL - Approved - No Effect

LYSOL FOAMING - Approved - No Effect

LYSOL SPRAY DISINFECTANT - Approved - No Effect

OASIS 146 MULTI-QUAT SANITIZER - Approved - No Effect

OASIS 144 QUAT SANITIZER - Approved - No Effect

OPTIM 33 TB DISINFECTANT (ALTERNATE FOR ACCEL TB) - Approved - Slight Effect

OXIVIR TB - Approved - No Effect

OXYCIDE DAILY DISINFECTANT CLEANER - Approved - No Effect

PERISEPT 62 SPORICIDAL DISINFECTANT - Approved - No Effect

PURELL FOOD SERVICE SANITIZER - Approved - No Effect

SUPER SANI CLOTH GERMICIDAL WIPES (PURPLE LID) - Approved - Slight Effect

SANI CLOTH HB GERMICIDAL WIPES (GREEN LID) - Approved - No Effect

SANI-PROFESSIONAL MULTI SURFACE WIPES - Approved - Slight Effect

SANI-PROFESSIONAL TABLE TURNERS WIPES - Approved - No Effect

SANIZIDE PLUS SURFACE DISINFECTANT SPRAY - Approved - Slight Effect

SIMPLE GREEN (1:10 DILUTION) - Approved - Slight Effect

SANI CLOTH AF3 GERMICIDAL WIPES (GREY LID) - Approved - No Effect

VIREX II 256- CONCENTRATE - Approved - No Effect

VIROX AHP 5 DISINFECTANT CLEANER SURFACE WIPES - Approved - No Effect

VIROX 5 CONCENTRATE (1:256 DILUTION; CN PRODUCT) - Approved - No Effect

VIROX 5 RTU (CN PRODUCT) - Approved - Slight Effect

ASEPTICARE TB-II - Not Approved - Severe Effect

CAVICIDE - Not Approved - Severe Effect

CLOROX BROAD SPECTRUM QUATERNARY DISINFECTANT CLEA... - Not Approved - Severe Effect

SANI CLOTH PLUS GERMICIDAL WIPES (RED LID) - Not Approved - Severe Effect

SANI CLOTH BLEACH GERMICIDAL WIPES (ORANGE LID) - Not Approved - Severe Effect

WEX-CIDE 128 CLEANER - Not Approved - Severe Effect

BLEACH (RATIO OF WATER TO BLEACH) See the bleach c ... - Approved - No Effect

SUPER HDQ L 10 - Approved - No Effect

OXIVIR FIVE 16 - Approved - No Effect

OXIVIR TB WIPES - Approved - No Effect

VIREX PLUS ONE-STEP DISINFECTANT CLEANER & DEODERI ... - Approved - No Effect

EVACLEAN PURTABS 500ppm - Approved - No Effect

SIMPLE GREEN TOWELS - Approved - No Effect

MAXIM FACILITY + ONE-STEP DISINFECTANT CLEANER AND... - Approved - No Effect

SANI CLOTH PRIME GERMICIDAL WIPES (FUCHSIA LID) - Approved - No Effect

3M HB QUAT DISINFECTANT CLEANER CONCENTRATE 25L - Approved - No Effect

500 S. KITLEY AVE., INDIANAPOLIS, IN 46219

TOLL FREE: 800.428.4415 T: 317.267.2626 F: 317-267-2629

NOBLE | CLEANING GUIDE



OXIVIR 1 WIPES – Approved - No Effect SPARTAN BNC-15 – Approved - No Effect

NOBLE | CLEANING GUIDE



KEY	DEFINITION
Approved No Effect	No change in color or surface finish.
Approved Slight Effect	A change in color or surface finish only visible at certain angles.
Approved Moderate Effect	A change in color or surface finish visible from all angles and directions, but does not appreciably alter the original condition of the material.
Not Approved Severe Effect	A change in color or surface finish, which obviously and markedly alters the original condition of the specimen.

The results for the cleaners/disinfectants listed does not imply "approved" or that the results are guaranteed. These evaluations are indicators after laboratory testing and may not be indicative of field performance. Customers should first determine if products are appropriate for use on their surfaces. The majority of today's disinfectant chemistries are mainly designed for use on hard environmental surfaces such as ceramic, porcelain, laminate, steel etc. After each application these types of disinfectants on seating surfaces the surface must be wiped with clean water and dried with a clean towel to remove any chemical residue that could eventually discolor or degrade the material surface.

Failure to follow the above dilution recommendations, directions when using using these types of cleaners/disinfectants or the application of a clean water rinse after each application can expedite a product failure and will void any warranty claim.

500 S. KITLEY AVE., INDIANAPOLIS, IN 46219 **TOLL FREE**: 800.428.4415 **T**: 317.267.2626 **F**: 317-267-2629