

with Writer's Block™ Ink Resistant Technology



**WRITE AWAY™**  
COLLECTION



BO-002 Jonquil



BO-020 Toast



BO-012 Butterscotch



BO-009 Terra Cotta



BO-013 Lime



BO-017 Cream



BO-027 Porcelain



**Application**  
Seating, Wall, Panel

**Content**  
62% Polyurethane Polycarbonate  
- PVC Free face,  
38% Polyester backing

**Width**  
54 inches

**Abrasion**  
Exceeds 250,000 Double Rubs

**Finish**  
Writer's Block™ - Ink Resistant

**Reduced Environmental Impact**  
PVC FREE, Lead Free, Phthalate  
Free, Heavy Metal Free,  
Formaldehyde Free, Low VOC,  
BPA Free, Non-Toxic  
GREENGUARD Certified



BO-021 Flame



BO-003 Sherwood




BO-022 Straw



BO-007 Doe




BO-011 Lipstick



BO-023 Aqua



BO-030 Mojave




BO-026 Cliff




BO-001 Paprika




BO-014 Cerulean




BO-010 Java




BO-016 Charcoal



BO-005 Orchid



BO-004 Regatta



BO-000 Espresso



BO-006 Black

**TECHNICAL INFORMATION**

Content: 62% Polyurethane Polycarbonate face - **PVC FREE**. 38% Polyester backing  
 Width: 54" Backing: 100% Polyester Knit Approx. Repeat: None  
 Weight: 20 oz./linear yd. Finish: Writer's Block™ - Ink Resistant Directional: No  
 Cleaning Code: WS - BC Railroaded: No

PERFORMANCE (*Certification Marks owned by ACT)	Test Method	Results
Surface Abrasion: Heavy Duty	CFFA-1A / ASTM-D-4157 (Cotton Duck)	Exceeds 250,000 Double Rubs
Breaking Strength:	CFFA-17 / ASTM-D-751	Warp 144 lbs/Fill 113 lbs
Seam Slippage:	CFFA-14 / Method ASTM-D-751	Warp 59.6 lbs/Fill 44.4 lbs
Colorfastness to Crocking:	AATCC-8	Dry: Class 4 min / Wet: Class 4 min
Colorfastness to Light:	CFFA-2 / AATCC 16-3	Passes 200 Hours
Cold Crack:	CFFA-6 Fed. Stnd. No. 191A - Method 5874	-20° F

**FLAMMABILITY**

California Technical Bulletin 117, Section E Passes FMVSS 302 Passes  
 NFPA 260 (Equivalent to UFAC) Class 1 Passes IMO A652 (16) 8.2 /  
 ASTM E84 (Unadhered) Class 1 or A Passes IMO FTP 2010 Code MSC.307(88) Part 8, 3.1 Passes  
 BIFMA CS-191-53, Section 3 Passes  
 May comply with California Technical Bulletin 133 when combined with appropriate components.

**REDUCED ENVIRONMENTAL IMPACT**

**PVC FREE Lead Free Phthalate Free Heavy Metal Free Formaldehyde Free Low VOC BPA Free Non-Toxic**  
**99%+ of all Water and Raw Materials used in production are reclaimed and recycled Energy and Water Efficient Production**  
**GREENGUARD Certified products are tested for low chemical emissions to standard UL 2818. For more information, visit UL.com/gg.**

**SUPERIOR PERFORMANCE**

Engineered specifically for the demanding Hospitality, Healthcare, Contract/Office and Education markets:  
 Exceptional Abrasion Resistance Anti-Bacterial / Anti-Microbial Stain Resistant  
 Knit Backing for Ease of Upholstery Mildew Resistant Bleach Cleanable  
 7 year Hydrolysis (Jungle Test) rating - Test is performed by placing material in a sealed chamber at 90° C and 90% humidity.

**CLEANING INFORMATION**

**WS: Water/Solvent Cleaner** – Spot clean, with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.

**BC: Bleach Cleanable** - 1 part bleach, 4 parts water = 20% bleach, 80% water solution. Always rinse promptly with clean water after applying the bleach solution. Prompt cleaning is always recommended. Recommended cleaning steps are listed by type of stain.

**Regular Cleaning and Maintenance** (Dirt, Grime): Clean the soiled area with mild soap and water, then rinse with fresh water and wipe dry with a clean cloth.  
**Food Stains/Oils** (Mustard, Ketchup, Chocolate, Coffee/Tea, Salad Dressing): Wipe the affected area with a soft cloth with appropriate pressure. If some stain persists, clean with mild soap and water. Rinse with fresh water and wipe dry. For stubborn stains spot clean with a 70% dilution of isopropyl alcohol and water and wipe. Rinse with fresh water and wipe dry.

**Healthcare/Disinfection** (Blood, Urine, Betadine): Wipe the affected area with a soft cloth with appropriate pressure. If some stain persists, spray it with a 70% dilution of isopropyl alcohol and water and wipe. Rinse with fresh water and wipe dry. **Disinfection:** This material withstands a 20% solution of household bleach and water. It is important to rinse the clean area with fresh water after applying the bleach solution.

**Ink Marks/Graffiti** (Ball Point Pen, Permanent Marker): Rub the affected area with a dry soft cloth with firm pressure. If some stain is still present spray it with a 70% dilution of isopropyl alcohol and water and wipe. Rinse with fresh water and wipe dry. Note: Removal of ink, particularly permanent marker, may vary depending on the period of time that the ink sets in. While this material offers excellent protection, full removal is not guaranteed.

**Denim Dye Transfer** (Blue Jeans): This material is designed to withstand the transfer of most types of indigo dye. In the case that faint dye transfer is visible, this can typically be removed with a 70% dilution of isopropyl alcohol and water. Note: Removal of indigo dye, particularly from wet jeans, may vary depending on the type of denim. While this material offers excellent protection, full removal is not guaranteed.

**NOTE:** The information in this cleaning guide refers to performance in specific tests conducted under laboratory conditions. This information is not a guarantee that every stain will be removed completely and some residual ghosting may be present after all the cleaning steps are followed.

Results may vary under actual conditions.  
 This information is not a guarantee and does not relieve the user from the responsibility of the proper and safe use of the product and all cleaning agents. The use of certain agents can be harmful to the surface appearance and lifespan of polyurethane. Mayer Fabrics, its agents, and assigns assume no responsibility resulting from the use of such cleaning agents to the polyurethane surface. Please check compatibility when using this product in combination with painted or varnished surfaces.

**ADDITIONAL INFORMATION**

**Custom Capabilities:** All patterns can be custom colored. Minimum yardage applies.

**Memo Samples:** Please keep this card intact. Individual memo samples can be ordered on our website or by contacting customer service.

**Fabric Color Matching:** Mayer Fabrics always attempts to ship a satisfactory commercial match. Because of industry standard dye lot variation, colors may not match exactly.

**Digital Swatch Card Color Matching:** Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

**Specifications:** Specifications are correct at the time of printing. Current specifications are available on our website.

**For information or assistance with products or services, call us at 800.428.4415 or refer to our website, [www.mayerfabrics.com](http://www.mayerfabrics.com).**



**MAYERFABRICS**

**GSA Contract #GS-28F-0022P**