METAL STRIPS

Upholstery Seating



Upholstery Seating





This collection was inspired by Vollis Simpson in support of the Vollis Simpson Whirligig Park & Museum. Mayer Fabrics will donate 2% of all sales to the Vollis Simpson Whirligig Park & Museum.





ApplicationUpholstery Seating

Content 63% Sunbrella® Solution-Dyed Acrylic, 37% Sunbrella® Solution-Dyed Polyester

Width 54 inches

Abrasion (Wyzenbeek/Cotton Duck)
Passes 76,000 Double Rubs

Finish

Liquid and Stain Repel

Reduced Environmental Impact GREENGUARD Gold Certified



(o) facts





434-003 **Springtime**

Shown at 65% scale

METAL STRIPS



434-002 Desert Flower



434-009 Dreamsicle



434-004 Regatta



434-003 **Springtime**



434-000 Driftwood



434-006 Granite



This collection was inspired by Vollis Simpson in support of the Vollis Simpson Whirligig Park & Museum. Mayer Fabrics will donate 2% of all sales to the Vollis Simpson Whirligig Park & Museum.

Results

TECHNICAL INFORMATION

Content: 63% Sunbrella® Solution-Dyed Acrylic, 37% Sunbrella® Solution-Dyed Polyester

Width: 54' Weight: 14.9 oz./linear yard Backing: None Finish: Liquid and Stain Repel

Approx. Repeat: 7.1" H, 12" V Directional: Yes Railroaded: No

PERFORMANCE

Surface Abrasion: Heavy Duty ASTM D 4157 (Wyzenbeek/Cotton Duck) Passes 76,000 Double Rubs

5 Years Warrantv Pilling Resistance ASTM D 3511 **Class 3.81**

Dry: Class 4 min / Wet: Class 4 min Colorfastness to Crocking AATCC 8

Colorfastness to Light AATCC 16E Class 4 at 2000 hours SAF I 2527 Class 4 min at 1500 KJ

FLAMMABILITY

California Technical Bulletin 117-2013

NFPA 260/UFAC Class 1

May comply with California Technical Bulletin 133 when combined with appropriate components.

REDUCED ENVIRONMENTAL IMPACT

This product is GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification. For complete information visit mayerfabrics.com and UL.com/gg.



The Facts icon indicates that a textile has been evaluated based on the requirements of the multi-attribute sustainability standard NSF/ANSI 336 through an independent third-party certification body authorized by the Association for Contract Textiles.

FINISH OPTIONS

Mayer Barrier - Liquid, fluid barrier. Available for 10 yard minimums. Call for Pricing.

CLEANING INFORMATION

WS: Water/Solvent Cleaner

BC: Bleach Cleanable - 1 part bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Custom Capabilities: All patterns can be custom colored. Minimum yardage applies.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.


Specifications: Specifications are correct at the time of printing. Current specifications are available on our website.



This fabric meets or exceeds these ACT performance guidelines.
Certification Marks owned by ACT



CONTRACT



METAL STRIPS - Approx. Repeat: 7.1" H, 12" V



