
# **SOLEIL** JADE 416-003

# **MAYER** FABRICS



#### **CLEANING**

WS: Water/Solvent Cleaner - Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding. Always rinse promptly with clean water

BC: Bleach Cleanable - 1 parts bleach, 4 parts water = 20% bleach, 80% water solution. Do not clean / disinfect fabric for longer than 10 minutes using the 20% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

Additional cleaning details at www.mayerfabrics.com

#### **CATEGORY**

Upholstery

# **PROPERTIES**



#### CONTENT

59% Sunbrella® Solution-Dyed Acrylic/41% Sunbrella® Solution-Dyed Polyester

#### **BACKING**

None

#### **FINISH**

Sunbrella® Contract - PFOA & PFOS Free

#### **WIDTH**

54"

#### **WEIGHT**

13.9 oz./ln yd

#### **SHOWN RAILROADED**

No

#### **DIRECTIONAL**

Yes

### **ROLL LENGTH**

60 yards

#### VISUAL REPEAT

0 in/0.00 cm H, 0.125 in/0.32 cm V

#### **BREAKING STRENGTH**

Warp 305/Fill 219

## **SEAM STRENGTH**

Warp: 40/Fill: 48

#### **ABRASION RESISTANCE**

Passes 100,000 Double Rubs (Wyzenbeek) Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance. Wyzenbeek results above 100,000 double rubs have not been shown to be an indicator of increased lifespan.

#### PILLING RESISTANCE

Class 4

### **COLORFASTNESS TO CROCKING**

Dry: Class 4 min/Wet: Class 4 min

## **COLORFASTNESS TO LIGHT**

2000 hours

# **SOLEIL** JADE 416-003

# **MAYER** FABRICS

#### **APPLICATION**

Atrium, Indoor, Outdoor

#### **FLAMMABILITY**

Passes NFPA 260/UFAC Class 1; Cal 117 Section E

#### WARRANTY

Standard Upholstery | '5' Five Year Warranty